

January 15, 2017 - February 28, 2017

ELECTRICAL WINTER CONSOLIDATED PURCHASE PROGRAM



DIVERSITECH®

*\$2,000 minimum order to qualify. Must reference promo code WINTER17 to receive special pricing and discounts. Each order must ship to a single location. All orders must ship by 2/28/2017.

Capacitor Starter Kit KIT-CAP-GO2



- Capacitors from 20 Top Selling Motor Run Capacitor Sizes
- Merchandise Display
 Included (For Counter or Floor
 Placement)
- Guaranteed Sell with One Time
 1:1 Exchange for Any Products
- Initial Order is Freight Allowed. Can Include Other Products.
- A \$300 Investment for over \$1,300 Potential Return



DiversiTech

DiversiTite Liquid Tite Flexible Conduit

For electrical applications: outside, inside and industrial uses including transformer connections, air conditioning and heating. Joins with metallic or non-metallic connectors, easy to cut. Impact resistant, chemical resistant, and will not kink. U.L. and C.U.L. Listed. For use as indicated in Article 351 of the 1987 NEC.

				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
750-12100	1/2" x 100' Liquid Tite Conduit – Non-Metallic, 100' per roll	EA	1	\$24.50
750-34100	3/4" x 100' Liquid Tite Conduit – Non-Metallic, 100' per roll	EA	1	\$33.50
750-10100	1" x 100' Liquid Tite Conduit – Non-Metallic, 100' per roll	EA	1	\$55.00
750-125100	1-1/4" x 100' Liquid Tite Conduit – Non-Metallic, 100' per roll	EA	1	\$78.00
750-1550	1-1/2" x 50' Liquid Tite Conduit – Non-Metallic, 50' per roll	EA	1	\$55.00
750-2050	2" x 50' Liquid Tite Conduit – Non-Metallic, 50' per roll	EA	1	\$74.00
750-121000	1/2" x 1000' Liquid Tite Conduit – Non-Metallic, 1000' per roll	EA	1	\$295.00
750-34800	3/4" x 800' Liquid Tite Conduit – Non-Metallic, 800' per roll	EA	1	\$295.00
750-10500	1" x 500' Liquid Tite Conduit – Non-Metallic, 500' per roll	EA	1	\$295.00

750-12100



Liquid Tite Connectors

For use with metallic and non metallic liquid tite conduit, Type B. Provides smooth connection, no sharp edges to strip wire. Wiring easily pulled through. U. L. Listed. C.U.L. Listed.

				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
750-NMLT50	1/2" Non-Metallic Straight Connector	EA	25	\$0.48
750-NMLT9050	1/2" Non-Metallic 90 Degree Elbow Connector	EA	10	\$0.70
750-NMLT75	3/4" Non-Metallic Straight Connector	EA	10	\$0.78
750-NMLT9075	3/4" Non-Metallic 90 Degree Elbow Connector	EA	10	\$0.95
750-NMLT100	1" Non-Metallic Straight Connector	EA	5	\$1.35
750-NMLT90100	1" Non-Metallic 90 Degree Elbow Connector	EA	5	\$3.15
750-SLTC50	1/2" Straight Screw-On Fitting	EA	25	\$0.30
750-SLTC9050	1/2" 90 Degree Screw-On Fitting	EA	25	\$0.45
750-SLTC75	3/4" Straight Screw-On Fitting	EA	25	\$0.40
750-SLTC9075	3/4" 90 Degree Screw-On Fitting	EA	25	\$0.60
750-TZNMLT50	1/2" NM Topaz	EA	25	\$0.52
750-TZNMLT9050	1/2" NM Topaz 90 Degree	EA	10	\$0.95
750-TZNMLT75	3/4" NM Topaz	EA	10	\$0.70
750-TZNMLT9075	3/4" NM Topaz 90 Degree	EA	10	\$1.40
750-TZNMLT100	1 " NM Topaz	EA	5	\$1.45
750-TZNMLT90100	1" NM Topaz 90 Degree	EA	5	\$3.25





WHIPS

DiversiWhips

Liquid tight flexible conduit system. A labor saving convenience kit for A/C unit hookup. Also use for heat pumps, refrigeration, hot tubs, swimming pools and outdoor lighting. Three distinct wire colors for ease of hook up. 1 straight and 1 90 degree metallic or non metallic connector. 90 degree connector is removable for straight connections. (Second straight connector not included.) U.L. and C.U.L Listed.

				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
6-12-6NM	1/2" x 6' #10 THHN Wire – Non-Metallic Connectors	EA	6	\$7.25
6-34-6NM	3/4" x 6' #8 THHN Wire – Non-Metallic Connectors	EA	6	\$9.95
B6-12-6NM	1/2" x 6' #10 THHN Wire – Non-Metallic Connectors	EA	90	\$7.05
B6-34-6NM	3/4" x 6' #8 THHN Wire – Non-Metallic Connectors	EA	60	\$9.45

*Call for additional sizes.







DIVERSITECH ELECTRICAL DISCONNECTS

Disconnects - Metal Case

Fused model designed with fuses in pull out handle for easy replacement. The line, load, and ground terminals are aligned for ease of wiring. This product has a reversible door which opens to either the left or right. The side open door opens more than 180 degrees for maximum access and has a full dead front. The fused models have indicator lights for blown fuses. This is rain tight and sleet resistant. The UL Listed number is IRF9, NEMA Type 3R and the US Patent is 6,630,637.



NET PRIC CATALOG NO DESCRIPTION UOM ORDER MULTIPLE DDS-30 30A Fusible Disconnect Switch EA 10 \$8.00 DDS-60 60A Fusible Disconnect Switch ΕA 10 \$8.50 DDS-60U 60A Non-Fusible Disconnect Switch EA 10 \$7.50

Low Profile Disconnects -Metal Case

This low profile disconnect switch is a slightly smaller design than that of the standard DiversiTech disconnects. This has a side opening door with a full dead front. This is rain tight and sleet resistant. The UL Listed number is IRF9, NEMA Type 3R.

				SPECIAL
CATALOG NO.	DESCRIPTION UOM	ORDE	RMULTIPLE	NET PRICE
EDS-60U	60A Non-Fusible Disconnect Switch	EA	10	\$6.50

Disconnects - Non-Metallic Case

This 60 amp non-fusible disconnect is housed in a lightweight, non-metallic case. It features a side opening door with more than 180° access, full dead front, and a locking tab.



EDS-60U

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRIOL
750-P60NF	60A Non Fusible Disconnect Switch, Non-Metallic Case, Plastic	EA	10	\$9.95

EATON ELECTRICAL DISCONNECTS

Eaton Switch A/C Disconnect

This A/C Disconnect is 60 amps switch rated for 10 HP motors at 240VAC. The switch is an on off circuit breaker with no pull out head that could be lost or stolen. It has easy-to-remove front cover with no screws or fasteners to remove.



CATALOG NO.	DESCRIPTION	LIOM	ORDER MUITIPLE	SPECIAL NET PRICE
DPB222R	60A molded case switch	EA		\$13.47

Eaton Three Phase Disconnects

CAT/ DG DG DG

These disconnects are UL listed and meet UL 98 for enclosed switches and NEMA Std. KS-1. They are suitable as service entrance equipment when applied with neutral or ground lug kit. They come with rainproof NEMA 3R enclosure.



FAT•N

				SPECIAL
ALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
321NRB	Fusible 30 Amp, 240VAC	EA	1	\$58.85
322NRB	Fusible 60 Amp, 240VAC	EA	1	\$97.66
322URB	Non-fusible 60 Amp. 240VAC	EA	1	\$97.66

DISCONNECTS/WHIPS

Disconnect/Whip Combo

The EDS-12-6NM is a pre-wired 60 AMP non-fusible disconnect already assembled with a $\frac{1}{2}$ " x 6' electrical whip. This combination disconnect and whip saves time on installations since they are already connected. This combination kit includes DiversiTech item # EDS-60U (disconnect) and item # 6-12-6NM (whip).



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
EDS-12-6NM	Pre-assembled Disconnect + Whip Combo Kit	EA	3	\$17.99





FUSES

Dual Element Fuses – 250V

Provides time delay for temporary over current conditions and motor running protection for heating and air conditioning equipment. Eliminates unnecessary maintenance from harmless overloads. U.L. Class RK 5, Standard for Safety 198E, Current Limiting Fuses, Interrupting Rating 200,000 Amps. rms. A.C.



				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
7-CRNR15	15 Amps	EA	10	\$1.40
7-CRNR20	20 Amps	EA	10	\$1.40
7-CRNR25	25 Amps	EA	10	\$1.40
7-CRNR30	30 Amps	EA	10	\$1.40
7-CRNR35	35 Amps	EA	10	\$2.52
7-CRNR40	40 Amps	EA	10	\$2.52
7-CRNR45	45 Amps	EA	10	\$2.52
7-CRNR50	50 Amps	EA	10	\$2.52
7-CRNR60	60 Amps	EA	10	\$2.52
7-CRNR70	70 Amps	EA	5	\$10.10
7-CRNR80	80 Amps	EA	5	\$10.10
7-CRNR90	90 Amps	EA	5	\$10.10
7-CRNR100	100 Amps	EA	5	\$10.10

U.L. Class RK-5, Standard for Safety 198E, Current Limiting Fuses, Interrupting Rating 200,000 Amps. rms. A.C.

One Time Fuses

Protection to lighting, heating, and other non transient circuits. U.L. Class H, Standard for Safety 1988, One Time Fuse Interrupting Rating 10,000 Amps. rms. A.C



				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
7-10KOTN30	30 Amps	EA	10	\$0.62
7-10KOTN35	35 Amps	EA	10	\$0.98
7-10KOTN40	40 Amps	EA	10	\$0.98
7-10KOTN45	45 Amps	EA	10	\$0.98
7-10KOTN50	50 Amps	EA	10	\$0.98
7-10KOTN60	60 Amps	EA	10	\$0.98
7-10KOTN70	70 Amps	EA	5	\$8.84
7-10KOTN80	80 Amps	EA	5	\$8.84
7-10KOTN90	90 Amps	EA	5	\$8.84
7-10KOTN100	100 Amps	EA	5	\$8.84
III Class H Stand	ard for Safety 1988	One Time Fuse I	nterrunting Ratir	ng 10.000

U.L. Class H, Standard for Safety 1988, One Time Fuse Interrupting Rating 10,000 Amps, rms, A.C.

Time Delay Fuses - 600V

These plugs offer safe protection during momentary overload. No adapter necessary. U.L. Listed.



DiversiTech

				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
626-HASR10	10 Amp	EA	10	\$4.64
626-HASR15	15 Amp	EA	10	\$4.64
626-HASR20	20 Amp	EA	10	\$4.64
626-HASR25	25 Amp	EA	10	\$4.64
626-HASR30	30 Amp	EA	10	\$4.64
626-HASR40	40 Amp	EA	10	\$13.49
626-HASR60	60 Amp	EA	10	\$13.49
III Listed				



Fuse Adapters

Fuse adapters are used to retrofit fuses into existing installations.



				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
626-38632	Fuse Adapter – 60 to 30 Reducer for Class H, 250V	EA	1	\$3.96
626-38636	Fuse Adapter – 60 to 30 Reducer for Class H, 600V	EA	1	\$3.98

Fuseblocks

The fuse blocks are designed to allow the fuse to blow or burn out before the component can be damaged.



				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
626-23133	Fuseblock – 1 Pole Screw Class H, 250V	EA	1	\$2.65
626-23233	Fuseblock – 2 Pole Screw Class H, 250V	EA	1	\$3.55
626-23333	Fuseblock – 3 Pole Screw Class H, 250V	EA	1	\$5.24
626-26311	Fuseblock – 3 Pole Box Lug Class H, 250V	EA	1	\$11.59



DiversiTech Definite Purpose Contactors

Definite purpose contactors can be used for heating, air conditioning, refrigeration, data processing, and food service equipment. Quick connect terminals provide for easy wiring. This contactor comes as a two pole on a small frame.



			SPECIAL
CATALOG NO.	POLES	FL AMPS	NET PRICE
EC252*	2	25	\$4.69
EC302*	2	30	\$4.97
EC303*	3	30	\$9.63
EC402*	2	40	\$8.60
EC403*	3	40	\$12.78
EC503*	3	50	\$20.60
EC603*	3	60	\$23.15
EC753*	3	75	\$48.54
EC903*	3	90	\$52.71

Note: Replace * with Coil Voltage (24, 120, 240, 277)

Eaton Definite Purpose Contactors - Three and Four Pole

These are Eaton's standard line of C25 DP contactors. They feature pressure plates with quick connects for 25A and 30A contactors, and lugs and quick connects for 40A to 90A contactors. They are UL recognized and CSA certified components. These contactors are designed for the HVAC and refrigeration applications.





						SPECIAL
CATALOG NO.	POLES	FL AMPS	COIL VAC	UOM	ORDER MULTIPLE	NET PRICE
DPE253120	3	25	120	EA	1	\$13.57
DPE25324	3	25	24	EA	1	\$13.57
DPE253240	3	25	240	EA	1	\$13.57
DPE303120	3	30	120	EA	1	\$18.83
DPE30324	3	30	24	EA	1	\$18.83
DPE303240	3	30	240	EA	1	\$18.83
DPE403120	3	40	120	EA	1	\$20.48
DPE40324	3	40	24	EA	1	\$20.48
DPE403240	3	40	240	EA	1	\$20.48
DPE503120	3	50	120	EA	1	\$51.37
DPE50324	3	50	24	EA	1	\$51.37
DPE503240	3	50	240	EA	1	\$51.37
DPE603120	3	60	120	EA	1	\$56.21
DPE60324	3	60	24	EA	1	\$56.21
DPE603240	3	60	240	EA	1	\$56.21
DPE753120	3	75	120	EA	1	\$88.68
DPE75324	3	75	24	EA	1	\$88.68
DPE753240	3	75	240	EA	1	\$88.68
DPE903120	3	90	120	EA	1	\$121.27
DPE90324	3	90	24	EA	1	\$121.27
DPE903240	3	90	240	EA	1	\$121.27

*Call for availability on 4 pole options.

Eaton Definite Purpose Contactors - One and Two Pole

These are single- and two-pole, Type C25 contactors feature a compact, efficient design with a low VA coil and straight-through wiring. Its housing design effectively limits dust and other contaminants from magnet structure—reduces or eliminates noise. They are UL recognized/CSA certified, ampere rated devices are well suited for use in heating/air conditioning, refrigeration, data processing and food service applications.



FAT•N

						SPECIAL
CATALOG NO.	POLES	FL AMPS	COIL VAC	UOM	ORDER MULTIPLE	NET PRICE
DPE301120	1	30	120	EA	1	\$7.06
DPE30124	1	30	24	EA	1	\$7.06
DPE301240	1	30	240	EA	1	\$7.06
DPE252120	2	25	120	EA	1	\$7.06
DPE25224	2	25	24	EA	1	\$7.06
DPE252240	2	25	240	EA	1	\$7.06
DPE302120	2	30	120	EA	1	\$6.73
DPE30224	2	30	24	EA	1	\$6.73
DPE302240	2	30	240	EA	1	\$6.73
DPE402120	2	40	120	EA	1	\$12.82
DPE40224	2	40	24	EA	1	\$12.82
DPE402240	2	40	240	EA	1	\$12.82

*Call for other contactor options.

Eaton Contactor Accessories

These auxiliary contacts are side mounted contact kits for Eaton's definite purpose contactors with contact rating of 15A to 75A.





CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE	P
DPEAUX10	15-75A, 1NO	EA	1	\$8.44	
DPEAUX11	15-75A, 1NO-1NC	EA	1	\$15.78	
DPEAUX11QC	15-75A, 1NO-1NC with Quick Connect	EA	1	\$8.23	
DPEAUX22	25-75A, 2NO-2NC	EA	1	\$12.53	



CAPACITORS

DiversiTech

Motor Run Capacitors-370VAC, Metal, Oval Can

These single capacitance oval, metal can capacitors are designed for continuous run.



CATALOG NO.	uf	UOM		NET PRICE
37050H	5	EA	1	\$0.92
37075H	7.5	EA	1	\$1.22
37100H	10	EA	1	\$1.44
37150H	15	EA	1	\$1.80

Motor Run Capacitors-370VAC

This single capacitance round, metal can capacitors are designed for continuous run.



CATALOG NO.	uf	UOM	ORDER MULTIPLE	NET PRICE
37200R	20	EA	1	\$3.87
37300R	30	EA	1	\$2.95
37450R	45	EA	1	\$4.41
37500R	50	EA	1	\$6.58

Motor Run Capacitors-440VAC

These single capacitance oval, metal can capacitors are designed for continuous run.



CATALOG NO.	uf	UOM	ORDER MULTIPL	E NET PRICE
45050H	5	EA	1	\$1.18
45075H	7.5	EA	1	\$1.57
45100H	10	EA	1	\$1.74
45150H	15	EA	1	\$2.00
45200H	20	EA	1	\$2.32
45250H	25	EA	1	\$2.86
45500H	50	EA	1	\$4.90
45550H	55	EA	1	\$5.31

Motor Start Capacitors – 220/250 VAC

Variable capacitance. Round, plastic can.

88-108220

				SPECIAL
CATALOG NO.	uf	UOM	ORDER MULTIPLE	NET PRICE
108-130220	108-130	EA	1	\$5.10
124-156220	124-156	EA	1	\$3.91
145-175220	145-175	EA	1	\$4.04
189-227220	189-227	EA	1	\$5.09
216-259220	216-259	EA	1	\$6.71
270-324220	270-324	EA	1	\$5.06

Motor Run Capacitors-370VAC

This dual capacitance round metal can capacitors are designed for continuous run.



3GR0425

				SPECIAL
CATALOG NO.	uf	UOM	ORDER MULTIPLE	NET PRICE
3GR0530	30+5	EA	1	\$4.11
3GR0535	35+5	EA	1	\$4.31
3GR0540	40+5	EA	1	\$4.78
3GR0545	45+5	EA	1	\$4.69
3GR0580	80+5	EA	1	\$15.33
3GR7580	80+7.5	EA	1	\$14.73

Motor Run Capacitor-440VAC

Dual capacitance. Round, metal can.



CATALOG NO.	uf	UOM	ORDER MULTIPLE	SPECIAL NET PRICE
4JR0530	30+5	EA	1	\$3.63
4JR0535	35+5	EA	1	\$4.02
4JR7535	35+7.5	EA	1	\$6.46
4JR0540	40+5	EA	1	\$4.07
4JR7540	40+7.5	EA	1	\$9.42
4JR0545	45+5	EA	1	\$4.41
4JR7545	45+7.5	EA	1	\$10.79
4JR0550	50+5	EA	1	\$4.51
4JR0555	55+5	EA	1	\$4.90
4JR0560	60+5	EA	1	\$6.37
4JR7560	60+7.5	EA	1	\$8.17
4JR0570	70+5	EA	1	\$11.62
4JR0580	80+5	EA	1	\$13.55
4JR7580	80+7.5	EA	1	\$12.21

Motor Start Capacitors – 330 VAC

Variable capacitance. Round, plastic can.



			OI LOINE
uf	UOM	ORDER MULTIPLE	NET PRICE
161-193	EA	1	\$6.80
189-227	EA	1	\$7.78
216-259	EA	1	\$8.74
270-324	EA	1	\$6.46
	161-193 189-227 216-259	161-193 EA 189-227 EA 216-259 EA	161-193 EA 1 189-227 EA 1 216-259 EA 1

*Call for availability on other capacitor sizes.

other ca



MOTORS

Waaner Motors

The full line of Wagner HVAC replacement motors provide high quality at a competitive price. The line consists of direct drive furnace blower motors, condenser fan motors, multi-hp motors and high-temp rated motors.

Single Speed Condenser Fan Motors

							SPECIAL
CATALOG NO.	HP	VOLTAGE	SPEED	FLA	QUANTITY/PALLET	BEARING TYPE	NET PRICE
WG840727	1/6	208/230	1075/1	1.3	120	BALL	\$31.78
WG840728	1/4	208/230	1075/1	2.2	105	BALL	\$35.67
WG840729	1/3	208/230	1075/1	2.8	105	BALL	\$40.86
WG840730	1/2	208/230	1075/1	4.2	105	BALL	\$48.13
WG840731	3/4	208/230	1075/1	4.5	105	BALL	\$55.64
WG840204	1/4	208/230	825/1	1.5	120	BALL	\$45.30
WG840205	1/3	208/230	825/1	2.2	120	BALL	\$51.48



Direct Drive Furnace Blower Motors

						SPECIAL
HP	VOLTAGE	SPEED	FLA	QUANTITY/PALLET	BEARING TYPE	NET PRICE
1/4	115	1075/3	4.6	140	BALL	\$37.05
1/4	208/230	1075/3	2.2	140	BALL	\$36.95
1/3	115	1075/3	6.7	120	BALL	\$40.53
1/3	208/230	1075/3	2.9	120	BALL	\$41.68
1/2	115	1075/3	10.2	105	BALL	\$50.89
1/2	208/230	1075/3	5.0	105	BALL	\$50.88
3/4	115	1075/3	11.3	105	BALL	\$53.01
3/4	208/230	1075/3	5.4	105	BALL	\$54.08
1	115	1075/3	12.6	120	BALL	\$61.82
1	208	1075/3	5.6	105	BALL	\$58.61
	1/4 1/4 1/3 1/3 1/2 1/2 3/4	1/4 115 1/4 208/230 1/3 115 1/3 208/230 1/2 115 1/2 208/230 3/4 115 3/4 208/230 1 115	1/4 115 1075/3 1/4 208/230 1075/3 1/3 115 1075/3 1/3 208/230 1075/3 1/3 208/230 1075/3 1/2 115 1075/3 1/2 208/230 1075/3 3/4 115 1075/3 3/4 208/230 1075/3 1 115 1075/3	1/4 115 1075/3 4.6 1/4 208/230 1075/3 2.2 1/3 115 1075/3 6.7 1/3 208/230 1075/3 2.9 1/2 115 1075/3 10.2 1/2 208/230 1075/3 5.0 3/4 115 1075/3 11.3 3/4 208/230 1075/3 5.4 1 115 1075/3 12.6	1/4 115 1075/3 4.6 140 1/4 208/230 1075/3 2.2 140 1/3 115 1075/3 6.7 120 1/3 208/230 1075/3 2.9 120 1/2 115 1075/3 10.2 105 1/2 208/230 1075/3 5.0 105 3/4 115 1075/3 11.3 105 3/4 208/230 1075/3 5.4 105 1 115 1075/3 12.6 120	1/4 115 1075/3 4.6 140 BALL 1/4 208/230 1075/3 2.2 140 BALL 1/3 115 1075/3 2.2 140 BALL 1/3 208/230 1075/3 2.9 120 BALL 1/3 208/230 1075/3 2.9 120 BALL 1/2 115 1075/3 10.2 105 BALL 1/2 208/230 1075/3 5.0 105 BALL 3/4 115 1075/3 11.3 105 BALL 3/4 208/230 1075/3 5.4 105 BALL 1 115 1075/3 12.6 120 BALL



Multiple Horsepower Condenser Fan Motors

Multiple Horsepower Blower Motors

										SPECIAL
CATALOG NO.	VOLTAGE	SPEED	(1) HP-FLA	(2) HP-FLA	(3) HP-FLA	(4) HP-FLA	(5) HP-FLA	QUANTITY/PALLET	BEARING TYPE	NET PRICE
WG840465	208-230	1075/2	1/3-2.8	1/4-2.0	1/5-1.7	1/6-1.5	-	105	BALL	\$44.16
WG840468	208-230	1075/2	1/2-3.0	1/3-2.5	1/4-2.0	1/5-1.3	-	105	BALL	\$51.72
WG840469	208-230	825/2	1/3-2.1	1/4-1.7	1/5-1.5	1/6-1.2	-	120	BALL	\$45.56

										SPECIAL
CATALOG NO.	VOLTAGE	SPEED	(1) HP-FLA	(2) HP-FLA	(3) HP-FLA	(4) HP-FLA	(5) HP-FLA	QUANTITY/PALLET	BEARING TYPE	NET PRICE
WG840463	115	1075/4	1/2-7.0	1/3-6.7	1/4-4.4	1/5-3.2	1/6-2.4	105	BALL	\$46.55
WG840464	208-230	1075/4	1/2-3.9	1/3-3.6	1/4-2.5	1/5-1.8	1/6-1.3	120	BALL	\$48.09
WG840466	115	1075/4	3/4-8.1	1/2-6.6	1/3-4.6	1/4-3.8	1/5-3.1	90	BALL	\$55.19
WG840467	208-230	1075/4	3/4-3.8	1/2-3.7	1/3-2.5	1/4-1.8	1/5-1.7	90	BALL	\$57.34

MOTOR BRACKETS

DiversiTech Motors Bracket

These brackets help hold the motor securely.



EA

1

STD NET PRICE

\$8.42

\$5.88

HARD START KITS

Torque Plus-Hard Start Kits

Totally solid state, our DST 5 is just right for all permanent split capacitor (PSC) compressors from 1/2 to 10 H.P. It can be used on units that operate on 120 through 288 Volts. The DST 6 offers a larger capacitor for severely hard to start compressors. The DST 6 can be used on all PSC single phase compressors from 1 1/2 to 10 H.P.A unique combination of relay and safety timer. The capacitor is automatically disconnected in 0.5 seconds if the compressor fails to start.



CATALOG NO.	DESCRIPTION UOM	ORDER MULTIPLE	SPECIAL NET PRICE
DST-5	Torque Plus – 300% Torque Multiplier EA	1	\$6.87
DST-6	Torque Plus – 500% Torque Multiplier EA	1	\$10.48

motors

Fixed Lug Assembly for 5-1/2" diameter motors EA

Adjustable Lug Assembly for 5-1/2" diameter

CATALOG NO DMB-1

DMB-2



WORKLIGHTS BY CLIPLIGHT®

Clipstrip[™]

Clipstrip[™] is a powerful pocket light available in 140 lumens that includes a magnetic clip. It is available in yellow or camo and AAA batteries are included.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
111112	Clipstrip [™] Pocket Light	EA	12	\$6.30
111116	Clipstrip™ Pocket Camo Light	EA	12	\$7.60

Pivot[™] Mini

The Pivot™ Mini is a light that has a 360° swivel hook with 120 lumens and magnetic back and base. Lights on front and top with three AAA batteries included.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
111115	Pivot™ Mini Worklight	EA	12	\$9.45
111117	Pivot™ Mini Camo Worklight	EA	12	\$10.45

Pivot[™]

The Pivot™ is a light that has a 360° swivel hook with 240 lumens and magnetic back and base. Three AA batteries included.

111	114 👩
	11
	41 7

DIVERSITECH

	DECORIDITION	UON	ORDER MULTIPLE	SPECIAL
CATALOG NO.	DESCRIPTION	UUIVI	OKDER MULTIPLE	INCI PRICE
111114	Pivot [™] Worklight	EA	9	\$13.30

Pivot[™] 33

The Pivot[™] 33 is a light that has a 360° swivel hook with 160 lumens and magnetic back and base. Lights on front and top with three AA batteries included.



CATALOG NO.	DESCRIPTION	UOM		NET PRICE
24-458	Pivot™ 33 Worklight	EA	9	\$11.40
24-460	Pivot™ 33 Camo Worklight	EA	9	\$13.30

CONTACT CLEANERS

HF[™] Contact Cleaner

A petroleum distillate based precision cleaner with a flash point of 205°F. It can be an alternative to CFCs when applications require higher flashpoints.

CRC-4-140	

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	STD NET PRICE
CRC-4-140	HF [™] Contact Cleaner – 11 oz.	EA	12	\$10.26

Electronic Degreaser

This Advanced Technology Formula is nonchlorinated, non-conductive, non-corrosive and non-staining. It rapidly dissolves grease, oil and sludge for better efficiency of mechanical equipment. The Electronic Degreaser has no flash or fire point.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	STD NET PRICE
CRC-4NU	Electronic Degreaser – 15 oz.	EA	12	\$24.33

QD® Contact Cleaner

This contact cleaner is suitable for cleaning sensitive electronics and electrical equipment and does not leave any residue. It evaporates quickly and is safe to use on all plastics. This product is more useful where lower flashpoint cleaners are acceptable. The QD® Contact Cleaner is NSF K2 Registered.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	STD NET PRICE
CRC-4CF	QD® Contact Cleaner – 11 oz.	EA	12	\$15.37



High-performance zinc coating that electrochemically bonds with ferrous metals to form a galvanic cell. The product also fights rust and corrosion and can be used as a touchup for damaged galvanized coatings. Zinc-It® Instant Cold Galvanize[™] Zinc Rich Galvanize Coating dries quickly.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	STD NET PRICE
CRC-5	Zinc-It [®] Instant Cold Galvanize [™] Zinc	EA	12	\$14.49
	Rich Galvanize Coating – 13 oz.			



ANTI-VIBRATION PADS

E.V.A. Anti-Vibration Pad

The latest generation in vibration dampening technology. The most effective vibration dampening pad available on the market. The EVA Pad was tested against other pads at four different vibration settings. In the most severe vibration extremes, the EVA Pad outperforms cork and rubber by a margin of greater than 3:1! This is due to the special composite foam center which is much more structurally sound than cork. It is not affected by oils or chemicals that can break down cork and is much more effective at vibration dampening than solid rubber. All this at a very competitive price. Designed to withstand 50 psi.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	NET PRICE
MP-3E	3" x 3" x 7/8" E.V.A. Pad	EA	36	\$0.75
MP-4E	4" x 4" x 7/8" E.V.A. Pad	EA	24	\$1.23
MP-6E	6" x 6" x 7/8" E.V.A. Pad	EA	24	\$2.49

Rubber/Cork Anti-Vibration Pad

Highest quality elastomeric oil resistant padding. Designed to withstand 50 psi. The rubber pads are corrugated on both sides. The cork is laminated between two corrugated pads. Ideal for air conditioners, compressors, cooling towers, presses, machines, etc.

				SPECIAL
CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE 弓	NET PRICE
MP-3C	3" x 3" x 7/8" Rubber/Cork	EA	36	\$0.37
MP-4C	4" x 4" x 7/8" Rubber/Cork	EA	24	\$0.72
MP-6C	6" x 6" x 7/8" Rubber/Cork	EA	24	\$1.50



EQUIPMENT SUPPORT SYSTEMS

Hef-T-Foot[™]

The Hef-T-Foot[™] is used to support small pipework, runs of cable tray, or an alternative to supporting condensing units, air source heat pumps or a variety of outdoor equipment.

The Hef-T-Foot[™] with strut comes in four lengths - 9.8", 15.7", 23.6", 39.4". They are manufactured from heavy duty recycled rubber and come complete with .8" x 1.6" galvanized steel strut adhered to the rubber with industrial adhesive. The rubber is strong and durable with drain slots moulded into the underside to allow standing water to flow under the foot.

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE	SPECIAL NET PRICE
FF-250-S	Hef-T-Foot [™] – 9.8" with 1.6" x .8" strut	EA	1	\$12.00
FF-250-UNI	Hef-T-Foot™ – 9.8″ Universal	EA	1	\$12.00
FF-400-S	Hef-T-Foot™ – 15.7" Universal with 1.6" x .8" strut	EA	1	\$15.97
FF-600-S	Hef-T-Foot™ – 23.6" Universal with 1.6" x .8" strut	EA	1	\$19.53



Û







ONE SOURCE... Electrical & Lighting

Morris Products is now part of DiversiTech.

DiversiTech Electrical

- Over 7,000 HVAC/R & electrical Products in over 200 Categories
- Low Freight Minimum of \$750
- Large Growth Opportunities
 with HVAC/R Products
- Excellent Customer Support & Very Easy to Do Business With

Morris Products

- Over 7,200 Electrical & LED Lighting Products in 30 Categories
- No MOQ, Broken Cartons Allowed
- \$100 Freight PPD & Allowed
- Shipping Next Day
- Best-in-Class Customer Service, No Automated Attendant

COMING IN 2017!

The Power of ONE SOURCE!

- One PO, One Invoice, One Delivery
- Over 14,000 Products in 200+ Categories
- Best-in-Class Customer Service & Support
- Save Time & Money, Increase ROI



ABOUT DIVERSITECH

DiversiTech Corporation is North America's largest manufacturer of equipment pads and a leading manufacturer and supplier of components and related products for the heating, ventilating, air conditioning, and refrigeration (HVACR) industry.

Headquartered in the Atlanta, GA metropolitan area, DiversiTech manufactures a suite of products which includes a wide range of mechanical, electrical, chemical, and structural parts for HVACR and electrical systems, and swimming pool installations. The company maintains manufacturing and distribution facilities in key U.S. locations, Europe, and in the Far East. DiversiTech has enjoyed a continued history of successful growth and has acquired industry-recognized names including Devco[®] Enterprises, Wagner[®] Manufacturing, The Black Pad[®], Hef-T-Pad[™], and Specialty Chemical.





6650 Sugarloaf Parkway Duluth, GA 30097

888.261.2978 678.542.3662 Fax www.diversitech.com

DOC134914

Download an electronic copy of this catalog at http://media.diversitech.com/doc/DOC134914.pdf

Send edits/corrections/comments on this catalog to elesales@diversitech.com