

Sure-Stick Heavy Duty Adhesive Spray

SECTION 1. IDENTIFICATION

PRODUCT IDENTIFIER:

Sure-Stick Heavy Duty Adhesive Spray

OTHER MEANS OF IDENTIFICATION:

315-20

RECOMMENDED USE OF THE CHEMICAL:

Please see label for instruction

RESTRICTIONS ON USE:

None known

MANUFACTURED BY:

DiversiTech Corporation

3039 Premiere Parkway

Suite 600

Duluth, GA 30097

INFORMATION PHONE #: 1 800.995.2222**EMERGENCY PHONE #:** 1 800.255.3924 Chem-Tel
(Chemical Emergencies)

SECTION 2. HAZARD IDENTIFICATION

CLASSIFICATION OF THE CHEMICAL:

Flammable Aerosol, category 1

Aspiration Hazard, category 1

Eye Irritant, category 2a

Skin Irritant, category 2

STOT-SE, category 3 (drowsiness)

Gas under pressure, dissolved.

HAZARD SYMBOL(S):**SIGNAL WORD:** Danger**HAZARD STATEMENT(S)**

- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENT(S)

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources.-No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Pressurized Container: Do not pierce or burn, even after use.
- P261 Avoid breathing mists and vapors.

RESPONSE

- P301+310+331 IF SWALLOWED: Immediately call a poison control center. Do NOT induce vomiting.
- P302+352 IF ON SKIN: Wash with plenty of water.
- P332+313 If skin irritation occurs: Get medical advice.
- P321 Specific treatment (see FIRST AID section on this label).
- P362+364 Take off contaminated clothing and wash it before reuse.
- P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a doctor if you feel unwell.
- P305+351+388 If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+313 If eye irritation persists: get medical advice.

Sure-Stick Heavy Duty Adhesive Spray

- P264 Wash hands and exposed skin thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves and eye protection.
- P403 Store in a well-ventilated place.
- P405 Store locked up.
- P410 Protect from sunlight.
- P412 Do not expose to temperatures exceeding 50 °C/122 °F.

HAZARD(S) NOT OTHERWISE CLASSIFIED:
None known

0% of the chemical consists of ingredient(s) of unknown acute toxicity.

NOTE:

Labeling elements found on this SDS may be different from labeling elements found on the label. Safety Data Sheets are regulated by OSHA (29 CFR §1910.1200) while the actual product and its label may be regulated by a different government agency. Please contact the responsible party in Section 1 if you have any questions.

SECTION 3. INFORMATION ON INGREDIENTS

INGREDIENT	CAS No.	COMPOSITION, wt%	GHS CLASSIFICATION(S)
Acetone	67-64-1	10-30%	Flam Liq 2; STOT-SE 3; Eye Irrit 2a
Methyl Acetate	79-20-9	10-30%	Flam Liq 2; STOT-SE 3; Eye Irrit 2a
Cyclohexane	110-82-7	3-7%	Flam Liq 2; STOT-SE 3; Asp Tox 1; Skin Irrit 2;
Heptane	142-82-5	3-7%	Flam Liq 2; STOT-SE 3; Asp Tox 1; Skin Irrit 2;

TRADE SECRET CLAIM:

When applicable, the specific concentration of each hazardous ingredient is considered a TRADE SECRET. Chemical names and identifiers will be listed in exact composition weight and name when not subject to trade secret exemptions.

NOTE:

This product may contain other ingredients that are not required to be disclosed on this safety data sheet or product label in accordance with 19 CFR §1910.1200. Any ingredient not listed on either the SDS or label is not considered hazardous to health and shouldn't pose a risk to the user.

SECTION 4. FIRST AID MEASURES

GENERAL FIRST AID MEASURES:

If medical attention is required due to exposure then be sure to take product label or safety data sheet when seeking medical care.

MOST IMPORTANT SYMPTOMS:

Aspiration of mixture is cause for immediate medical attention.

IF INHALED:

Move person to fresh air and keep at a comfortable position for breathing. Administer artificial respiration if person is not breathing.

IF ON SKIN:

Wash with soap and water. Take off contaminated clothing and wash it before reuse.

Sure-Stick Heavy Duty Adhesive Spray

IF IN EYES:

Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED:

Do NOT induce vomiting unless instructed to do so by a trained medical professional. Rinse mouth with water.

INDICATION OF IMMEDIATE MEDICAL ATTENTION:

Seek immediate medical attention in the event of swallowing as mixture may be fatal if aspirated into lungs.

SECTION 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Water spray, carbon dioxide, sand, powder extinguisher, dry chemical. If extinguishing methods are unavailable cool the container with water if exposed to heat or flame. Remove the container from fire area if it can be done without further risk.

UNSUITABLE EXTINGUISHING MEDIA:

None known.

SPECIFIC HAZARDS:

Contents under pressure; may explode if heated.

HAZARDOUS COMBUSTION PRODUCTS:

Not determined.

SPECIAL PROTECTIVE EQUIPMENT:

Not determined.

PRECAUTIONS FOR FIRE-FIGHTERS:

Contents may be heavier than air if released. Containers may explode and rapidly release pressure resulting in the potential for additional hazards.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Remove non-emergency personnel from the area in an orderly fashion.

PROTECTIVE EQUIPMENT:

Use appropriate chemical-resistant gloves and eye protection.

EMERGENCY PROCEDURE(S):

Cover drains to prevent spill from entering waterways. Evacuate non-emergency personnel from the area. Shut off all sources of ignition. If extinguishing methods are unavailable cool the container with water if exposed to heat or flame. Remove the container from fire area if it can be done without further risk.

METHODS FOR CONTAINMENT:

Cover drains and ventilate area to prevent vapor build-up.

METHODS FOR CLEAN UP:

For small spills, wipe with an absorbent material. For large spills, collect with sawdust, sand, or binder before cleaning. Place in an area appropriate for disposal.

REFERENCES:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Sure-Stick Heavy Duty Adhesive Spray

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Keep away from all ignition sources. Do not smoke while handling.

STORAGE INCOMPATIBILITIES:

Contents are under pressure; may explode if heated.

CONDITIONS FOR SAFE STORAGE:

Keep cool in a well-ventilated place away from sunlight. Do not expose to temperatures above 122°F or 50°C. Keep away from heat and other sources of ignition. Keep away from oxidizing agents and watery environments. Store upright without excessive load on top. Ensure local and adequate ventilation. Keep container tightly sealed in its original container.

SECTION 8. EXPOSURE CONTROLS

INGREDIENT

INGREDIENT	CAS No.	PEL	AGCIH	NIOSH
Acetone	67-64-1	1000 ppm	250 ppm	250 ppm
Cyclohexane	110-82-7	300 ppm	100 ppm	300 ppm
Heptane	142-82-5	500 ppm	400 ppm	85 ppm
Methyl Acetate	79-20-9	200 ppm	200 ppm	200 ppm

GENERAL NOTE:

Practice good industrial hygiene. Wash hands after handling and use.

APPROPRIATE ENGINEERING CONTROLS:

Ensure mechanical ventilation.

EYE/FACE PROTECTION:

Eye protection is recommended. Wear goggles or another form of chemically resistant eye protection.

SKIN PROTECTION:

Wear gloves suitable for chemical protection.

RESPIRATORY PROTECTION:

If exposure limits are exceeded and inhaled: use a NIOSH approved respirator.

ENVIRONMENTAL PROTECTION:

No anticipated protective equipment is required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Yellow semi-solid web spray.	ODOR:	Not determined.
pH:	Not determined.	ODOR THRESHOLD:	Not determined.
MELTING POINT:	Not determined.	BOILING POINT:	Not determined.
FLASHPOINT:	Not determined.	EVAPORATION RATE:	Not determined.
FLAMMABILITY:	>85% flammable material.	UPPER EXPLOSIVE %:	Not determined.
VAPOR PRESSURE:	Not determined.	LOWER EXPLOSIVE %:	Not determined.
VAPOR DENSITY:	Not determined.	RELATIVE DENSITY:	Not determined.
SOLUBILITY:	Not soluble in water.	PARTITION COEFFICIENT:	Not determined.
AUTO-IGNITION:	Not determined.	DECOMPOSITION TEMP:	Not determined.
VISCOSITY:	Not determined.		

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY:

Not anticipated to be reactive.

CHEMICAL STABILITY:

Chemical is anticipated to be stable in normal storage conditions.

Sure-Stick Heavy Duty Adhesive Spray

HAZARDOUS REACTIONS:

None known.

CONDITIONS TO AVOID:

Heat, sources of ignition, direct sunlight, watery or moist environments.

INCOMPATIBLE MATERIALS:

Oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS:

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY ESTIMATES:

Oral – Contains no ingredient(s) considered toxic.
Dermal – Contains no ingredient(s) considered toxic.
Inhalation – Contains no ingredient(s) considered toxic.

SKIN CORROSION/IRRITATION:

Contains ingredient(s) applicable to this category.

EYE DAMAGE/IRRITATION:

Contains ingredient(s) applicable to this category.

SENSITIZATION:

Respiratory: Contains no ingredient(s) applicable to this category.
Skin: Contains no ingredient(s) applicable to this category.

GERM CELL MUTAGENICITY:

Contains no ingredient(s) applicable to this category.

CARCINOGENICITY:

Contains no ingredient(s) applicable to this category.

REPRODUCTIVE TOXICITY:

Contains no ingredient(s) applicable to this category.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:

Contains ingredient(s) applicable to this category.

ASPIRATION HAZARD:

Contains ingredient(s) applicable to this category.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:

Contains no ingredient(s) applicable to this category.

SYMPTOMS RELATED TO CHARACTERISTICS:

Not determined.

DELAYED AND IMMEDIATE EFFECT FROM SHORT- AND LONG-TERM EXPOSURE:

Not determined.

NATIONAL TOXICOLOGY PROGRAM LISTING:

No ingredients listed.

INTERNATIONAL AGENCY FOR REACH ON CANCER LISTING:

No ingredients listed.

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Algae – Contains no ingredient(s) considered toxic.
Fish – Between 1 mg/L & 10 mg/L (category 2)
Crustacea – Contains no ingredient(s) considered toxic.

PERSISTENCE AND DEGRADABILITY:

Not determined.

BIOACCUMULATIVE POTENTIAL:

Not determined.

MOBILITY IN SOIL:

Not determined.

OTHER ADVERSE EFFECTS:

None known.

Sure-Stick Heavy Duty Adhesive Spray

SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL OF EMPTY CONTAINERS:

Please recycle container with a licensed recycling company.

DISPOSAL OF FULL OR PARTIALLY FULL CONTAINERS:

Dispose in accordance with all local regulations. Contact a licensed waste management company for questions on disposal procedures.

SECTION 14. TRANSPORT INFORMATION

HAZARD PLACARD:



UN NUMBER: 1950

LTD QTY: < 5L

UN PROPER SHIPPING NAME: Aerosol.
HAZARD CLASS: 2.1 Flammable Gas
PACKAGING GROUP: Level 3 Aerosol
ENVIRONMENTAL HAZARD: Yes (category 2).
TRANSPORT IN BULK: Not determined.
SPECIAL PRECAUTIONS: Do not ship with excessive weight on top. Keep in original containers.

SECTION 15. REGULATORY INFORMATION

SARA:

311 – Acetone, Heptane, Methyl Acetate.
312 – Acetone, Heptane, Methyl Acetate.
313 – Cyclohexane.

TSCA INVENTORY LIST:

Each ingredient is on the TSCA inventory list as ACTIVE.

HMIS®III: (higher numbers indicate higher risk)

Health, 3
Flammability, 4
Physical Hazard, 2

RIGHT-TO-KNOW:

Not determined.

CALIFORNIA:

Prop 65: No ingredient(s) listed.
ARB Designation: Web Spray Adhesive.
VOC Limit: 40%

NFPA: (higher numbers indicate higher risk)

Health, 3
Flammability, 3
Instability, 0

SECTION 16. OTHER INFORMATION

REVISION: 2

REVISION DATE: January 09, 2021

REVISION PURPOSE:

Revision based on the new data in relation to formula.

GENERAL DISCLAIMER:

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publications of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.