CP-22 Condensate Pumps







DIVERSITECH

Strategy Statement

The CP-22 is a full featured pump suitable for use with condensate from high efficiency condensing furnaces and boilers which produce acidic condensate. 22 feet of lift compared to the typical 20 feet.

Key Message Points

Four Inlet Holes

Metal Hang Tabs

Overflow Safety Switch

Four Inlet Holes







Bullets: Makes installation easier

Copy: The four inlet versus two or

three on other pumps provide the greatest installation versatility. Inlet holes have a reinforced wall for durability.

Metal Hang Tabs







Bullets: Easy to mount

Copy: The CP-22 Condensate

Pump comes equipped with shatterproof stainless steel hang tabs which have hole-and-slot design for easy moutning. The tabs are located on the convenient 8" centers.

Overflow Safety Switch







Bullets: Extra safety feature

Copy: The 1/4" quick connect

terminals provide easy connection to the built-in overflow switch. Two terminals are provided allowing the installer flexibility to connect the air handler shut-down. The switch features SPDT isolated contacts ready for connection to building automation systems.

Indicator Lights







Bullets: Lights show pump status

Copy: The red, yellow, and green

indicator lights show the pump status. The green shows the power applied to the pump, yellow shows the pump is running, and red is for high level alarm.

Removable Check Valve







Bullets: Prevents water backflow

Copy: The CP-22 Condensate

Pump features a removable check valve which allows for hassle free cleaning.

Rubber Feet







Bullets: Lessens vibration and noise

Copy: The rubber feet that support

the CP-22 Condensate pump help to dampen vibration which reduces

noise.

Vibration Isolation







Bullets: Less vibration

Copy: The elastomeric motor

mounting gasket dampens

vibration.

| Available (| Collateral |
|-------------------|--|
| DOC00022 | Flyer, Cond. Pump, Pk of 25 |
| http://media.dive | rsitech.com/doc/DOC00022.pdf |
| DOC00023 | Mat, Counter, Condensate Pump |
| DOC00219 | |
| DOC00063 | |
| DOC00121 | Mat, Counter, Condensate Switch |
| DOC04039 | CP-22 Condensate Pump Product Bulletin |
| http://media.dive | rsitech.com/doc/DOC04039.pdf |
| DOC32184 | CP-22-230 box art |
| http://media.dive | rsitech.com/doc/DOC32184.pdf |
| DOC31870 | CP-22 Pump Label |
| http://media.dive | rsitech.com/doc/DOC31870.pdf |
| DOC32120 | CP-22T 120 pump box art |
| http://media.dive | rsitech.com/doc/DOC32120.pdf |
| DOC32121 | CP-22T 230 pump box art |
| http://media.dive | rsitech.com/doc/DOC32121.pdf |
| DOC32187 | CP-22LP pump box art |
| http://media.dive | rsitech.com/doc/DOC32187.pdf |
| DOC32188 | CP-22LP-230 pump box art |
| http://media.dive | rsitech.com/doc/DOC32188.pdf |
| DOC32189 | CP-22LP pump label |
| http://media.dive | rsitech.com/doc/DOC32189.pdf |
| DOC32190 | CP-22LP-230 pump label |
| http://media.dive | rsitech.com/doc/DOC32190.pdf |
| DOC32215 | Technical Data Sheet - Condensate Pumps |
| http://media.dive | rsitech.com/doc/DOC32215.pdf |
| DOC33083 | CP-22 French label text for sticker |
| http://media.dive | rsitech.com/doc/DOC33083.pdf |
| DOC40151 | CP-22 Instructions Quick Reference Guide |
| http://media.dive | ersitech.com/doc/DOC40151.pdf |
| DOC00046 | CP-22 Condensate Pump Instruction Sheet |
| http://media.dive | rsitech.com/doc/DOC00046.pdf |
| DOC00061 | CP-22 Pump brochure, pack of 25 |
| http://media.dive | rsitech.com/doc/DOC00061.pdf |
| DOC00062 | CP-22 pump box art |
| http://media.dive | rsitech.com/doc/DOC00062.pdf |
| DOC32882 | CP-22 Condensate Pumps - Sales Script |
| http://media.dive | rsitech.com/doc/DOC32882.pdf |
| | |



February 2017 http://media.diversitech.com/doc/DOC04039.pdf

Page 1 of 2

Condensate Pumps

Full line of condensate removal pumps for HVAC and Mini-Split Applications

CP-22 Pumps

Suitable for use with condensate from air conditioning applications. 22ft of lift compared to the typical 20ft. Features include vibration dampening feet and motor mounts, metal hang tabs, four inlet holes, a clear indicator display, a float switch and check valve, and pan pill dispenser. Integrating the CP-22 into your system is easy. 1/4in. quick connect terminals provide easy connection to the built in overflow switch. 3 terminals are provided allowing flexibility to connect air-handler shut-down and optional alarm as needed. The new CP-22LP comes packed with all the same great features found in the CP-22, but now in a low profile package. This pump is only 4 3/8in. tall so it's a good fit for those instances where space is at a premium. The shorter reservoir holds 1/3 gallon. Suitable for use with condensate up to 160 degree F. UL Listed File Numbers E253155 and E258186.



| Catalog No. | Description | UOM | Order Multiple | List Price |
|-------------|--|-----|-------------------|------------|
| CP-22 | CP-22 Condensate Pump, 22ft. lift, 120V | EA | 6 | \$119.04 |
| CP-22-230 | CP-22 Condensate Pump, 22ft. lift, 230V | EA | 6 | \$144.36 |
| CP-22-230T | CP-22 Condensate Pump, 22ft. lift, w/ 20ft. of | EA | 6 | \$149.40 |
| | 3/8in. CVT, 230V | | | |
| CP-22T | CP-22 Condensate Pump, 22ft. lift, w/ 20ft. of | EA | 6 | \$125.40 |
| | 3/8in. CVT, 120V | | | |

CP-22 Low Profile Pumps

The new CP-22LP comes packed with all the same great features found in the CP-22, but now in a low profile package. This pump is only 4 3/8in. tall so it's a good fit for those instances where space is at a premium. The shorter reservoir holds 1/3 gallon. Suitable for use with condensate up to 160 degree F. UL Listed File Numbers E253155 and E258186.



| Catalog No. | Description | UOM | Order Multiple | List Price |
|-------------|--|-----|-------------------|------------|
| CP-22LP | CP-22 Condensate Pump, 22ft. lift, low profile, 120V | EA | 6 | \$136.72 |
| CP-22LP-230 | Condensate Pump, low profile, 22ft. lift, 230V | EA | 6 | \$149.24 |

General Purpose Pumps

The DiversiTech CP-16 condensate pump is an economical alternative that's based off of the proven CP-22 design. More compact than the CP-22, it's designed to lift to a maximum of 16 feet. The CP-16 shares many of the great features of the CP-22, including hang tabs, four inlet holes, float switch, overflow switch, and a check valve. UL Listed File Numbers E253155 and E258186.



| Catalog No. | Description | UOM | Order Multiple | List Price |
|-------------|---|-----|-------------------|------------|
| CP-16 | CP-16 Condensate Pump, 16ft. lift, 120V | EA | 6 | \$106.92 |
| CP-16-230 | Condensate Pump, 16ft. lift, 230V | EA | 6 | \$119.24 |

Condensate Pumps

Full line of condensate removal pumps for HVAC and Mini-Split Applications

DiversiTech's CP-MINI-L Mini Split Condensate Pump is a quiet, super compact, and feature rich pump that fits almost anywhere. Available in 115V and 230V versions. Pump fits easily in most line sets covers.

| Catalog No. | Description | UOM | Order Multiple | List Price |
|-------------|--|-----|-------------------|------------|
| CP-MINI-L | Mini Ductless Svs. Pump w/ Mech. Float | FA | 6 | \$0.00 |

Pump Parts & Accessories

Check valve installs easily and prevents water from travelling backwards into the pump and overflowing.

| | | | CP-CV | |
|-------------|-----------------------------------|-----|-------------------|------------|
| Catalog No. | Description | UOM | Order Multiple | List Price |
| CP-CV | Replacement Check Valve for CP-22 | EA | 1 | \$7.64 |

Merchandising

Counter Mats

Each counter mat has a specific product focus. The mats are encapsulated with a tough wearing clear plastic cover, and a non-skid rubber back. Most mats are 20in. by 16in.

