DIVERSITECH®

SpeediChannel™

Professional Line Set Protection System for Ductless or Unitary Systems









Easy, Flexible Installations

- Three Colors Now Available
 - Natural, White & Brown
- Paintable
- No Primer Needed





SpeediClip


- Saves time/labor with one person installation
- More professional looking finish
- Prevents cover dislocation
- Easier inspection



DIVERSITECH




Many Convenient Fitting Designs





• Available in three width sizes:



- 3" - 4"
- 6"





Universal Elbow Kit

- Only Universal Elbow Kit capable of accepting non-DiversiTech pumps for in-channel mounting
- Allows a contractor to use any mini-split pump with SpeediChannel





SpeediChannel Fittings Kit

- Includes one of each:
 - coupling
 - wall penetration
 - inside elbow
 - long radius flat bend
 - pack of 10 SpeediClips
 - pack of 11" cable ties
- UPS shippable
- Meets industry design for a one sku per job solution





Installation Kit

- Contains 3ea 48" pieces of channel and selected fittings
- UPS shippable
- Meets industry design for a one sku per job solution





Flex Hose Kit


Includes:

- 39" Flex Hose
- Two Duct Connectors
- End Cap
- Hose Clamp & SS Screws



DIVERSITECH **MARKETING/SALES SUPPORT**





CROSS REFERENCE SHEET

JOB SITE WORKSHEET

share speed Channel⁴⁴ is a schem used to cover ine sets, drait

DOCI40071



DIVERSITECH[®] SPEEDICHANNEL[®] SYSTEM

MKT-POP-DUCTSPIN



TECHNICAL DATA SHEET

TECHNICAL DATA SHEET DIVERSITECH)

250-US4 250-US48 250-US48 4.54 m 516m 9.54 m 6' 250-US4 230-US48 230 m 9.54 m

PRODUCT BULLETIN



